



AGRUTEX 321

Polypropylene Geotextile

Agrutex 321 is a polypropylene, staple fiber, needlepunched nonwoven geotextile. The fibers are needed to form a stable network that retains dimensional stability relative to each other. The geotextile is resistant to ultraviolet degradation and to biological and chemical environments normally found in soils.

Agrutex 321 conforms to the property values listed below.¹ Agru America's Laboratories are accredited by the Geosynthetic Accreditation Institute's Laboratory Accreditation Program (GAI-LAP) and the American Association of State Highway Transportation Officials' National Transportation Product Evaluation Program (NTPEP).

PROPERTY	TEST METHOD	MARV	
		ENGLISH	METRIC
Physical			
Mass/Unit Area	ASTM D-5261	32.0 oz/yd ²	1080 g/m ²
Mechanical			
Tensile Strength (Grab)	ASTM D-4632	600 lbs	2670 N
Elongation	ASTM D-4632	50%	50%
Trapezoidal Tear	ASTM D-4533	270 lbs	1202 N
Endurance			
UV Resistance % Retained at 500 hrs	ASTM D-4355	70%	70%
Roll Sizes		15ft x 150ft	4.57m x 45.7m

NOTES:

1. Effective January 2015 and subject to change without notice.
2. Values established at the time of manufacturing. Handling, storage, and shipping may change these properties.
3. Apparent Opening Size, (AOS), reported as maximum average roll value.

All information, recommendations and suggestions appearing in this literature concerning the use of our products are based upon tests and data believed to be reliable; however, it is the users responsibility to determine the suitability for their own use of the products described herein. Since the actual use by others is beyond our control, no guarantee or warranty of any kind, expressed or implied, is made by Agru/America as to the effects of such use or the results to be obtained, nor does Agru/America assume any liability in connection herewith. Any statement made herein may not be absolutely complete since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations. Nothing herein is to be construed as permission or as a recommendation to infringe any patent.

Rev: 2/25/2015

Executive Offices: 500 Garrison Road, Georgetown, SC 29440 (843) 546-0600, (800) 321-1379

Manufacturing: 181 Hwy 521 Andrews, SC (843) 221-4121, (800) 321-1379

email: salesmkg@agruamerica.com

website: www.agruamerica.com