





AGRULINE offers a complete range of high-quality pipes and fittings. AGRULINE products are used to create and rehabilitate critical infrastructure for the reliable transport of gas, potable water, process water, and wastewater. As with all AGRU solutions, AGRULINE products are produced with years of experience, a highly knowledgeable staff, and state-of-the-art manufacturing equipment.

The AGRU success story has been unfolding for over seven decades. Founded in 1948 by Alois Gruber Sr., the company has grown to become one of the world's most important single-source suppliers for piping systems, semi-finished products, concrete protection liners and lining systems made from engineering plastics. Our ability to supply everything from a single source sets us apart. We use only the highest-grade thermoplastic polymers as our raw materials and, when it comes to application-technical consulting, AGRU is your best partner.



Quality

At AGRU, customer satisfaction and an uncompromising commitment to quality are paramount. Our state-of-the-art ISO9001, ISO14001, and ISO45001 registered production facilities in South Carolina combined with technical support, training courses, welding instruction, and project consultation are an integral part of our product and service offering. Our start-to-finish attention to quality and details ensure that our products meet or exceed the strictest technical specifications, providing safe operation within gas, water, and wastewater infrastructures.

AGRULINE Pipe Fittings Overview

AGRU America manufactures high-density polyethylene (HDPE) pipe fittings from the newest generation of HDPE resins available in the market compliant with the Plastic Pipe Institute, the PE100+ Association, ASTM, ISO, and NSF. These fittings meet a range of project requirements including AWWA C906. HDPE piping systems offer a leak-free solution, the lowest life-cycle cost, ease of installation, and superior flow characteristics—all the while keeping its lightweight and flexible properties when compared with other piping materials. AGRU HDPE piping systems are produced in U.S. and Austrian production facilities.

Principal applications include wastewater, potable water, oil and gas gathering, gas distribution, mining, landfill, industrial, and irrigation. Benefits of using HDPE fittings include the ability to create permanent leak-free homogenous joints, convenient installations, and high operational reliability.

AGRU: The Plastics Experts

- Outstanding expertise in the field of plastics processing
- Superior customer service during the order fulfillment process
- Flexible, solution-oriented service and technical support before, during and after project design, execution, and while in operation
- Modern production machines and processes
- Machined and molded engineered piping components.

Low-Maintenance Piping Systems

- Welded HDPE piping systems are considered "leak-free" and homogenous in nature when compared with other joining methods required by other alternative legacy materials such as ductile iron, steel, and concrete
- The AGRULINE piping system is proven with decades of in-service pipelines worldwide
- 100+ year design life (1).


Efficient Solutions


- One-stop shopping for pipes, fittings, and other accessories as needed
- Easy to install and maintain
- Supports a variety of installation methods including horizontal directional drilling
- Smooth inner surfaces ensure high flow capacity throughout the system's service life.

Certified Materials

- PE100, PE 100-RC, and PE 4710 certified materials all listed in PPI's TR-4 listing
- Suitable for high pressure applications
- Non-corrosive with high chemical resistance
- For higher resistance to slow crack growth, and the longest life, request fittings made from PE 100-RC
- Products are marked in accordance with certifications or standards, including ASTM D3261, ASTM D2513, ASTM F2880, NSF 61, FM Approval, and AWWA C906.











End Cap

Branch Saddle



Butt Fusion Reducer





AGRULINE Fittings for Unique and Specialized Applications

High-Pressure Applications

AGRULINE fittings are available in SDR 7 and 9 molded fittings for high-pressure applications, including 10- and 12-inch fittings. These fittings are fully pressure rated and feature higher wall thickness that can withstand pressures of up to 335 PSI in water applications.


For industrial applications that require FM Approved piping systems for reliable operations, AGRU offers FM 1613 Approved fittings. Use FM 1613 approved fittings for reliable underground fire protection lines and more.



AGRULINE HDPE Fittings

Butt Fusion Tees

- Injection molded from PE 100-RC or PE 4710 material
- Available in SDR 7, SDR 9, SDR 11, and SDR 17
- Size range: 3/4" IPS through 12" IPS
- All fittings follow specifications A, B, and C
- Select configurations also follow specification D and/or E.





Butt Fusion End Caps

- Injection molded or machined from PE 100-RC or PE 4710 material
- Available in SDR 7, SDR 9, SDR 11, and SDR 17
- Size range: 3/4" IPS through 12" IPS
- All fittings follow specifications A, B, and C
- Select configurations also follow specification D and/or E.







TABLE 1. A	AGRULINE HDPE FITTINGS GENERAL SPECIFICATIONS
А	ASTM D2513-20
В	ASTM D3261-16
С	NSF/ANSI/CAN 61-2020
D	ANSI/AWWA C906-21 (PE Pressure Pipe and Fittings, 4 In. through 65 In. (100 mm through 1,650 mm), for Waterworks)
Е	FM-1613-2/2017
F	ASTM F2880-21



Butt Fusion Flange Adapters


- Injection molded or machined from PE 100-RC or PE 4710 material
- Available in SDR 7, SDR 9, SDR 11, and SDR 17
- Size range: 3/4" IPS through 18" IPS
- All fittings follow specifications A, B, C, and F
- Select configurations also follow specifications D and/or E.





Beveled Flange Adapters


- Injection molded or machined from PE 100-RC or PE 4710 material
- 2" IPS to 18" IPS
- Select configurations follow specifications A, B, C, D, E, and/or F
- Available in SDR 11 and SDR 17.





Butt Fusion Reducers


- Injection molded or machined from PE 100-RC or PE 4710 material
- Available in SDR 7, SDR 9, SDR 11, and SDR 17
- Size range: 2" x 1" IPS through 12" x 10" IPS
- Select configurations follow specifications A, B, C, D, and/or E.





Butt Fusion 45 Degree Elbows


- Injection molded from PE 100-RC or PE 4710 material
- Available in SDR 7, SDR 9, SDR 11, and SDR 17
- Size range: 3/4" IPS through 12" IPS
- All fittings follow specifications A, B, and C
- Select configurations also follow specification D and/or E.





Butt Fusion 90 Degree Elbows

- Injection molded from PE 100/PE 4710 material
- Available in SDR 7, SDR 9, SDR 11, and SDR 17
- Size range: 3/4" IPS through 12" IPS
- All fittings follow specifications A, B, and C
- Select configurations also follow specification D and/or E.









In addition to its HDPE butt fusion fittings, AGRULINE includes a line of electrofusion fittings made with PE 100-RC. This modern resin allows AGRU to produce the highest quality electrofusion fittings on the market. In a comprehensive series of tests, the renowned HESSEL Ingenieurtechnik GmbH test institute showed that the service life of AGRU's PE 100-RC E-couplers is about 10 times longer than standard E-couplers currently available on the market under test conditions (Figure 1).




Figure 1. Service life of PE and PE 100-RC electrofusion couplers under test conditions.

Electrofusion fittings support an easier and safer installation thanks to electrofusion welding. The electrofusion welding method uses a specialized fitting with a fully embedded heating wire around the welding zone that ensures precise welding and risk reduction. Installers secure the fitting to the pipe and connect it to an electrofusion processor. The processor then generates heat to the fitting, which produces a homogenous weld between the pipe and the fitting.


Other benefits:

- Training available for electrofusion coupler installers.
- Best-in-class weld quality ensured by the stable position of the embedded heating wire and the excellent gap closing ability.
- External-temperature-compensated welding times also achieve best-in-class results at temperatures as low as 32°F and as high as 114°F.
- · With embedded heating wires, fittings feature smooth and easy-to-clean internal weld surfaces.
- The embedded heating wire is protected against installation damage and corrosion during operations.

AGRULINE Electrofusion Fittings

Monofilar Electrofusion Couplers


- Injection molded from PE 100-RC and NSF-61 approved resins
- Fusion barcode and traceability barcodes on each fitting
- 4.0 mm fusion connectors
- MOP of 200 psi at SDR 11 for water applications*; 1/2" IPS to 16" IPS.





Bifilar Electrofusion Couplers

- Injection molded from PE 100-RC and NSF-61 approved resins
- Fusion barcode and traceability barcodes on each fitting
- 4.0 mm fusion connectors
- MOP of 125 psi at SDR 17 to SDR 33 for water applications*; 18" IPS to 63" IPS
- MOP of 200 psi at SDR 11 for water applications*; 18" IPS to 28" IPS.








Electrofusion Branch Saddles

- Injection molded from PE100/PE 4710 material and NSF-61 approved resins
- Barcoded to facilitate automated fusion and traceability
- Piano hinges to allow for the easy opening of the under saddle






- Fixing tab to assist in holding the fittings in place until it is clamped
- MOP of 200 psi at SDR 11 for water applications*
- Main sizes: 3" IPS through 12" IPS
- Outlet sizes: 1" IPS through 4" IPS.

Electrofusion Tapping Tees

- Injection molded from PE100/PE 4710 material and NSF-61 approved resins
- Barcoded to facilitate automated fusion and traceability
- Piano hinges to allow for the easy opening of the under saddle
- Fixing tab to assist in holding the fittings in place until it is clamped





- Electrofusion Weldcap is an available option
- Extra-long outlet to allow for multiple rounds of welding
- Brass punch for use with water and gas
- Telescopic punch assembly to allow the main to be connected without any fluid escaping.
- Main Sizes: 2" IPS through 6" IPS
- Outlet Sizes: 1/2" CTS through 1" IPS.

Electrofusion Equipment


- AGRU is the exclusive distributor of 100 V and 230 V HÜRNER electrofusion equipment, including the latest HCU 300 and the HST 300.
- HÜRNER equipment allows exact welding at a fraction of the time and effort of traditional methods.
- Electrofusion fittings of up to 63" IPS are designed to work seamlessly with the processors with ISO-compliant barcodes.
- Electrofusion processors equipped with GPS and Bluetooth are also available as well as supplementary equipment such as scrapers.
- The HCU 300 (pictured right) model includes a black plastic case for easy and protective storage.







*Calculate the maximum pressure for gas applications according to regulatory requirements.






Other AGRULINE Fittings

Ductile Iron Back-up Rings


- Follows ASTM A536 specification
- Connecting dimensions: AWWA C207; ANSI B16.5, Class 150
- Convoluted, fusion-bonded epoxy
- Optional red oxide primer coating for use with HDPE Flange Adapters
- MOP of 335 psi at SDR 7; ¾" to 12" IPS
- MOP of 200 psi at SDR 11; 2" to 48" IPS.






PP-FRP Back-up Rings

- Connecting dimensions: ANSI/ASME B16.5, Class 150
- Contains a steel insert for enhanced strength
- Resistant to UV, heat, chemical, and corrosion
- MOP of 200 psi at SDR 11; ½" to 12" IPS.






Semi-Finished Products

- AGRU now carries black HDPE pipe grade sheet stock and weld rod
- HDPE PE100/PE4710, approved sheet stock in available from 1/2" to 2" IPS thickness
- HDPE PE100/PE4710, welding rod is available.



Valve Spacers

- PE valve spacers made with PE4710
- Size ranging from 2" to 16" IPS
- Available in 1- and 2-inch thickness.






References

1. M. Najafi, A. Habibian, and V. F. Sever, "Durability and Reliability of Large Diameter HDPE Pipe for Water Main Applications." Water Research Foundation. (2015). Accessed online 27 May 2021. https://www.waterrf.org/system/files/resource/2019-07/4485_1.pdf.



Butt Fusion IPS Tees



- Molded from black PE 100 / 4710 resin & NSF-61 certified
- Complies with the following product standards: ASTM D2513, D3261, D3350, and AWWA C906
- Made in the USA
- FM Approval Class 1613




SDR 7 (STANDARD DIMENSION RATIO) 335 PSI (WORKING PRESSURE AS 73.4° F)										
Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	L3 (inch)	s (inch) Min Wall	OD (inch)	FM Pressure Rating (psi.)			
FF-51.115.0002.07	2" IPS	9.69	4.88	2.87	0.339	2.375	335			
FF-51.115.0003.07	3" IPS	11.61	5.79	3.54	0.500	3.500	335			
FF-51.115.0004.07	4" IPS	13.78	6.89	3.94	0.643	4.500	335			
FF-51.115.0006.07	6" IPS	17.68	8.82	4.72	0.946	6.625	335			
FF-51.115.0008.07	8" IPS	23.03	11.46	5.67	1.232	8.625	335			
FF-51.115.0010.07	10" IPS	27.17	13.54	6.22	1.536	10.750	335			
FF-51.115.0012.07	12" IPS	29.72	14.84	6.77	1.821	12.750	335			

SDR 9 (STANDARD DIMENSION RATIO) 250 PSI (WORKING PRESSURE AS 73.4° F)											
Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	L3 (inch)	s (inch) Min Wall	OD (inch)	FM Pressure Rating (psi.)				
FF-51.115.0002.09	2" IPS	9.69	4.88	2.87	0.264	2.375	250				
FF-51.115.0003.09	3" IPS	11.61	5.79	3.54	0.389	3.500	250				
FF-51.115.0004.09	4" IPS	13.78	6.89	3.94	0.500	4.500	250				
FF-51.115.0006.09	6" IPS	17.68	8.82	4.72	0.736	6.625	250				
FF-51.115.0008.09	8" IPS	23.03	11.46	5.67	0.958	8.625	250				
FF-51.115.0010.09	10" IPS	27.17	13.54	6.22	1.194	10.750	250				
FF-51.115.0012.09	12" IPS	29.72	14.84	6.77	1.417	12.750	250				

- 1. All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 3. Fittings are marked to meet the applicable standards.
- 4. Only fittings with a FM pressure rating are FM approved.



Butt Fusion IPS Tees



- Molded from black PE 100 / 4710 resin & NSF-61 certified
- Complies with the following product standards: ASTM D2513, D3261, D3350, and AWWA C906
- Made in the USA
- FM Approval Class 1613




SDR 11 (STANDARD DIMENSION RATIO) 200 PSI (WORKING PRESSURE AS 73.4° F) Nominal FM s (inch) L1 12 L3 OD Pressure Product Code Diameter Min Rating (inch) (inch) (inch) (inch) Wall (inch) (psi.) FF-51.115.0075.11 3/4" IPS 2.56 5.12 1.65 0.100 1.050 1" IPS FF-51.115.0001.11 5.67 2.83 1.77 0.120 1.320 FF-51.115.0125.11 11/4" IPS 6.61 3.31 2.01 0.150 1.660 FF-51.115.0150.11 1½" IPS 7.99 4.00 2.52 0.170 1.900 FF-51.115.0002.11 2" IPS 9.69 4.88 2.87 0.216 2.375 200 FF-51.115.0003.11 3" IPS 11.61 5.79 3.54 0.318 3.500 200 FF-51.115.0004.11 4" IPS 13.78 6.89 3.94 0.409 4.500 200 FF-51.115.0006.11 6" IPS 17.68 8.82 4.72 0.603 6.625 200 FF-51.115.0008.11 0.785 8" IPS 23.03 11.46 5.67 8.625 200 FF-51.115.0010.11 10" IPS 27.17 13.54 6.22 0.978 10.750 200 FF-51.115.0012.11 12" IPS 14.84 12.750 29.72 6.77 1.160 200

SDR 17 (STANDARI	DIMENS	ON RATIO	D) 125 PSI	(WORKII	NG PRESS	URE AS 7	3.4° F)
Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	L3 (inch)	s (inch) Min Wall	OD (inch)	FM Pressure Rating (psi.)
FF-51.115.0002.17	2" IPS	9.69	4.88	2.87	0.14	2.38	-
FF-51.115.0003.17	3" IPS	11.61	5.79	3.54	0.21	3.50	-
FF-51.115.0004.17	4" IPS	13.78	6.89	3.94	0.26	4.50	-
FF-51.115.0006.17	6" IPS	17.68	8.82	4.72	0.39	6.63	-
FF-51.115.0008.17	8" IPS	23.03	11.46	5.67	0.51	8.63	-
FF-51.115.0010.17	10" IPS	27.17	13.54	6.22	0.63	10.75	-
FF-51.115.0012.17	12" IPS	29.72	14.84	6.77	0.75	12.75	-

- 1. All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 3. Fittings are marked to meet the applicable standards.
- 4. Only fittings with a FM pressure rating are FM approved.



Butt Fusion IPS End Caps



- Molded from black PE 100 / 4710 resin & NSF-61 certified
- Complies with the following product standards: ASTM D2513, D3261, D3350, and AWWA C906
- Made in the USA
- FM Approval Class 1613




SDR 7 (STANDARD DIMENSION RATIO) 335 PSI (WORKING PRESSURE AS 73.4° F)										
Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	s (inch) Min Wall	OD (inch)	FM Pressure Rating (psi.)				
FF-51.314.0002.07	2" IPS	3.86	3.15	0.339	2.38	335				
FF-51.314.0003.07	3" IPS	4.61	3.58	0.500	3.50	335				
FF-51.314.0004.07	4" IPS	5.24	3.89	0.643	4.50	335				
FF-51.314.0006.07	6" IPS	6.77	4.72	0.946	6.63	335				
FF-51.314.0008.07	8" IPS	8.43	5.57	1.232	8.63	335				
FF-51.314.0010.07	10" IPS	9.69	6.12	1.536	10.75	335				
FF-51.314.0012.07	12" IPS	11.50	7.25	1.821	12.75	335				

SDR 9 (STANDARD I	DIMENSION R	ATIO) 250	PSI (WORK	(ING PRES	SURE AS 7	3.4° F)
Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	s (inch) Min Wall	OD (inch)	FM Pressure Rating (psi.)
FF-51.314.0002.09	2" IPS	3.86	3.15	0.264	2.38	250
FF-51.314.0003.09	3" IPS	4.61	3.58	0.389	3.50	250
FF-51.314.0004.09	4" IPS	5.24	3.89	0.500	4.50	250
FF-51.314.0006.09	6" IPS	6.77	4.72	0.736	6.63	250
FF-51.314.0008.09	8" IPS	8.43	5.57	0.958	8.63	250
FF-51.314.0010.09	10" IPS	9.69	6.12	1.194	10.75	250
FF-51.314.0012.09	12" IPS	11.50	7.25	1.417	12.75	250

- 1. All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 3. Fittings are marked to meet the applicable standards.
- 4. Only fittings with a FM pressure rating are FM approved.



Butt Fusion IPS End Caps



- Molded from black PE 100 / 4710 resin & NSF-61 certified
- Complies with the following product standards: ASTM D2513, D3261, D3350, and AWWA C906
- Made in the USA
- FM Approval Class 1613




Nominal s (inch) L1 L2 OD Product Code Diameter Min Pressure (inch) (inch) (inch) Rating (psi.) Wall (inch) FF-51.114.0075.11 3/4" IPS 0.10 2.05 1.05 1.77 FF-51.114.0001.11 1" IPS 2.20 1.77 0.12 1.32 FF-51.114.0125.11 1¼" IPS 2.52 1.99 0.15 1.66 1½" IPS FF-51.114.0150.11 2.83 2.20 0.17 1.90 -FF-51.114.0002.11 2" IPS 0.22 2.38 3.15 2.48 200 FF-51.114.0003.11 3" IPS 4.57 0.32 3.62 3.50 200 FF-51.114.0004.11 4" IPS 5.16 3.90 0.41 4.50 200 FF-51.114.0006.11 6" IPS 6.69 4.72 0.60 6.63 200 FF-51.114.0008.11 8" IPS 5.83 0.79 8.43 8.63 200 FF-51.114.0010.11 10" IPS 9.57 6.30 0.98 10.75 200 7.48 FF-51.114.0012.11 12" IPS 11.46 1.16 12.75 200

SDR 17 (STANDARD	DIMENSION	RATIO) 125	5 PSI (WOR	KING PRES	SSURE AT 7	73.4° F)
Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	s (inch) Min Wall	OD (inch)	FM Pressure Rating (psi.)
FF-51.114.0002.17	2" IPS	3.15	2.48	0.14	2.38	-
FF-51.114.0003.17	3" IPS	4.57	3.62	0.21	3.50	-
FF-51.114.0004.17	4" IPS	5.16	3.90	0.26	4.50	-
FF-51.114.0006.17	6" IPS	6.69	4.72	0.39	6.63	-
FF-51.114.0008.17	8" IPS	8.43	5.83	0.51	8.63	-
FF-51.114.0010.17	10" IPS	9.57	6.30	0.63	10.75	-
FF-51.114.0012.17	12" IPS	11.46	7.48	0.75	12.75	-

- 1. All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 3. Fittings are marked to meet the applicable standards.
- 4. Only fittings with a FM pressure rating are FM approved.



Butt Fusion IPS Flange Adapters



- Molded from black PE 100 / 4710 resin & NSF-61 certified
- Complies with the following product standards: ASTM D2513, D3261, D3350, F2880, and AWWA C906
- Made in the USA
- FM Approval Class 1613


SDR 7 (STANDARD DIMENSION RATIO) 335 PSI (WORKING PRESSURE AS 73.4° F)										
Product Code	Nominal Diameter (inch)	L1 (inch)	s (inch) Wall	OD (inch)	Df (inch)	t (inch) Wall	r (inch)	FM Pressure Rating (psi.)		
FF-51.312.0002.07	2" IPS	7.400	0.34	2.380	3.85	0.49	0.19	-		
FF-51.312.0003.07	3" IPS	6.030	0.50	3.500	5.00	0.84	0.28	-		
FF-51.312.0004.07	4" IPS	6.330	0.64	4.500	6.54	1.00	0.28	-		
FF-51.312.0006.07	6" IPS	7.247	0.95	6.630	8.60	1.00	0.28	-		
FF-51.312.0008.07	8" IPS	8.105	1.23	8.625	10.70	1.12	0.35	-		
FF-51.312.0010.07	10" IPS	11.980	1.54	10.75	12.75	1.54	0.35	-		

SDR 9 (STANDARD DIMENSION RATIO) 250 PSI (WORKING PRESSURE AS 73.4° F)										
Product Code	Nominal Diameter (inch)	L1 (inch)	s (inch) Wall	OD (inch)	Df (inch)	t (inch) Wall	r (inch)	FM Pressure Rating (psi.)		
FF-51.312.0002.09	2" IPS	7.4	0.26	2.38	3.85	0.49	0.19	-		
FF-51.312.0003.09	3" IPS	6.03	0.39	3.50	5.00	0.84	0.28	-		
FF-51.312.0004.09	4" IPS	6.33	0.50	4.50	6.54	1.00	0.28	-		
FF-51.312.0006.09	6" IPS	7.247	0.74	6.63	8.60	1.00	0.28	-		
FF-51.312.0008.09	8" IPS	8.105	0.96	8.625	10.70	1.12	0.35	-		
FF-51.312.0010.09	10" IPS	11.98	1.19	10.75	12.75	1.54	0.35	-		

- 1. All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 3. Fittings are marked to meet the applicable standards.
- 4. Only fittings with a FM pressure rating are FM approved.



Butt Fusion IPS Flange Adapters



- Molded from black PE 100 / 4710 resin & NSF-61 certified
- Complies with the following product standards: ASTM D2513, D3261, D3350, F2880, and AWWA C906
- Made in the USA
- FM Approval Class 1613




FM Nominal L1 OD Df Pressure Product Code Diameter (inch) (inch) Rating (inch) (inch) (inch) (inch) (inch) Wall Wall (psi.) FF-51.112.0075.11 34" IPS 4.02 0.09 1.05 1.85 0.39 0.12 FF-51.112.0001.11 1" IPS 4.02 0.12 1.32 2.36 0.39 0.12 _ FF-51.112.0125.11 11/4" IPS 4.02 0.15 2.80 0.20 1.66 0.39 FF-51.112.0150.11 1½" IPS 4.02 0.17 1.90 3.15 0.39 0.20 2" IPS FF-51.112.0002.11 6.10 0.22 2.38 3.94 0.55 0.20 200 FF-51.112.0003.11 3" IPS 6.10 0.32 3.50 5.00 0.67 0.28 200 4" IPS 0.79 0.28 FF-51.112.0004.11 6.10 0.41 4.50 6.61 200 FF-51.112.0006.11 6" IPS 7.87 200 0.60 6.63 8.50 1.02 0.28 FF-51.112.0008.11 8" IPS 10.63 0.79 8.63 10.63 1.26 0.35 200 12.99 0.35 FF-51.112.0010.11 10" IPS 12.99 0.98 10.75 1.38 200 FF-51.112.0012.11 12" IPS 15.75 12.75 15.75 1.5 0.35 200 1.16 FF-51.112.0014.11 14" IPS 13.00 1.27 13.94 17.5 1.50 0.43 FF-51.112.0016.11 16" IPS 13.00 1.45 15.93 20.0 1.77 0.43 FF-51.112.0018.11 18" IPS 13.00 1.64 17.92 21.38 1.89 0.43

SDR 17 (STANDAR	D DIMENS	ION RAT	(IO) 125	PSI (WO	RKING P	RESSUR	E AT 73.	4° F)
Product Code	Nominal Diameter (inch)	L1 (inch)	s (inch) Wall	OD (inch)	Df (inch)	t (inch) Wall	r (inch)	FM Pressure Rating (psi.)
FF-51.112.0002.17	2" IPS	6.10	0.14	2.38	3.94	0.55	0.20	-
FF-51.112.0003.17	3" IPS	6.10	0.21	3.50	5.00	0.67	0.28	-
FF-51.112.0004.17	4" IPS	6.10	0.26	4.50	6.61	0.79	0.28	-
FF-51.112.0006.17	6" IPS	8.50	0.39	6.63	8.50	1.02	0.28	-
FF-51.112.0008.17	8" IPS	10.51	0.51	8.63	10.63	1.02	0.35	-
FF-51.112.0010.17	10" IPS	11.61	0.63	10.75	12.99	1.18	0.35	-
FF-51.112.0012.17	12" IPS	10.83	0.75	12.75	15.75	1.38	0.35	-
FF-51.112.0014.17	14" IPS	13.00	0.83	13.94	17.50	1.50	0.43	-
FF-51.112.0016.17	16" IPS	13.00	0.94	15.93	20.00	1.77	0.43	-
FF-51.112.0018.17	18" IPS	13.00	1.06	17.92	21.38	1.89	0.43	-

- 1. All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 3. Fittings are marked to meet the applicable standards.
- 4. Only fittings with a FM pressure rating are FM approved.



Butt Fusion IPS Beveled Flange Adapters



- Molded from black PE 100 / 4710 resin & NSF-61 certified
- Complies with the following product standards: ASTM D2513, D3261, D3350, and AWWA C906
- Made in the USA
- FM Approval Class 1613




SDR 17 (STANDARD I	SDR 17 (STANDARD DIAMETER RATIO) 125 PSI (WORKING PRESSURE AT 73.4° F)										
Product Code	Nominal Diameter (inch)	L1 (inch)	s (inch) Wall	OD (inch)	Df (inch)	Db (inch)	t (inch) Wall	r (inch)	FM Pressure Rating (psi.)		
FF-51.112B45.002.17	2" IPS	6.10	0.14	2.38	3.94	2.8	0.55	0.20	-		
FF-51.112B45.003.17	3" IPS	6.10	0.21	3.5	5.00	3.8	0.67	0.28	-		
FF-51.112B45.004.17	4" IPS	6.10	0.26	4.5	6.61	4.8	0.79	0.28	-		
FF-51.112B45.006.17	6" IPS	8.50	0.39	6.63	8.50	6.6	1.02	0.28	-		
FF-51.112B45.008.17	8" IPS	10.51	0.51	8.63	10.63	8.6	1.02	0.35	-		
FF-51.112B45.010.17	10" IPS	11.61	0.63	10.75	12.99	10.75	1.18	0.35	-		
FF-51.112B45.012.17	12" IPS	10.83	0.75	12.75	15.75	12.75	1.38	0.35	-		
FF-51.112B45.014.17	14" IPS	13.0	0.83	13.94	17.50	13.94	1.50	0.43	-		
FF-51.112B45.016.17	16" IPS	13.0	0.94	15.93	20.00	15.93	1.77	0.43	-		
FF-51.112B45.018.17	18" IPS	13.0	1.06	17.92	21.38	17.92	1.89	0.43	-		

SDR 11 (STANDARD D	IMENSIC	ON RAT	IO) 200	PSI (W	ORKIN	G PRES	SURE A	T 73.4°	(F)
Product Code	Nominal Diameter (inch)	L1 (inch)	s (inch) Wall	OD (inch)	Df (inch)	Db (inch)	t (inch) Wall	r (inch)	FM Pressure Rating (psi.)
FF-51.112B45.0002.11	2" IPS	6.10	0.22	2.38	3.94	2.8	0.55	0.20	200
FF-51.112B45.0003.11	3" IPS	6.10	0.32	3.50	5.00	3.8	0.67	0.28	200
FF-51.112B45.0004.11	4" IPS	6.10	0.41	4.50	6.61	4.8	0.79	0.28	200
FF-51.112B45.0006.11	6" IPS	7.87	0.60	6.63	8.50	6.6	1.02	0.28	200
FF-51.112B45.0008.11	8" IPS	10.63	0.79	8.63	10.83	8.6	1.26	0.35	200
FF-51.112B45.0010.11	10" IPS	12.99	0.98	10.75	12.99	10.75	1.38	0.35	200
FF-51.112B45.0012.11	12" IPS	15.75	1.16	12.75	15.75	12.75	1.50	0.35	200
FF-51.112B45.0014.11	14" IPS	13.0	1.27	13.94	17.5	TBD	1.50	0.43	-
FF-51.112B45.0016.11	16" IPS	13.0	1.45	15.93	20.0	TBD	1.77	0.43	-
FF-51.112B45.0018.11	18" IPS	13.0	1.64	17.92	21.38	TBD	1.89	0.43	-

- 1. All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 3. Fittings are marked to meet the applicable standards.
- 4. Only fittings with a FM pressure rating are FM approved.



Butt Fusion IPS 45° Elbows



- Molded from black PE 100 / 4710 resin & NSF-61 certified
- Complies with the following product standards: ASTM D2513, D3261, D3350, and AWWA C906
- Made in the USA
- FM Approval Class 1613




Nominal s (inch) L1 L2 L3 OD Pressure Product Code Diameter Min (inch) Rating (inch) (inch) (inch) Wall (inch) (psi.) FF-51.110.0002.07 2" IPS 8.28 2.40 0.339 2.38 4.2 335 FF-51.110.0003.07 5.00 3" IPS 10.15 2.50 0.500 3.50 335 FF-51.110.0004.07 4" IPS 10.70 5.07 2.80 0.643 4.50 335 4.00 FF-51.110.0006.07 6" IPS 16.27 8.13 0.946 6.63 335 FF-51.110.0008.07 7.90 4.80 1.232 8.63 8" IPS 16.97 FF-51.110.0010.07 10" IPS 20.28 9.10 5.60 1.536 10.75 FF-51.110.0012.07 12" IPS 21.93 10.12 5.98 1.821 12.75 _

SDR 9 (STANDARD I	DIMENSION	RATIO) 2	250 PSI (V	VORKING	PRESSU	RE AS 73.	.4° F)
Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	L3 (inch)	s (inch) Min Wall	OD (inch)	FM Pressure Rating (psi.)
FF-51.110.0002.09	2" IPS	8.28	4.20	2.40	0.264	2.38	250
FF-51.110.0003.09	3" IPS	10.15	5.00	2.50	0.389	3.50	250
FF-51.110.0004.09	4" IPS	10.70	5.07	2.80	0.500	4.50	250
FF-51.110.0006.09	6" IPS	16.27	8.13	4.00	0.736	6.63	250
FF-51.110.0008.09	8" IPS	16.97	7.90	4.80	0.958	8.63	-
FF-51.110.0010.09	10" IPS	20.28	9.10	5.60	1.194	10.75	-
FF-51.110.0012.09	12" IPS	21.93	10.12	5.98	1.417	12.75	-

- 1. All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 3. Fittings are marked to meet the applicable standards.
- 4. Only fittings with a FM pressure rating are FM approved.



Butt Fusion IPS 45° Elbows



- Molded from black PE 100 / 4710 resin & NSF-61 certified
- Complies with the following product standards: ASTM D2513, D3261, D3350, and AWWA C906
- Made in the USA
- FM Approval Class 1613




SDR 11 (STANDARD	DIMENSIO	N RATIO)	200 PSI ((WORKIN	G PRESSI	JRE AS 7	3.4° F)
Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	L3 (inch)	s (inch) Min Wall	OD (inch)	FM Pressure Rating (psi.)
FF-51.110.0075.11	34" IPS	4.53	2.44	1.77	0.10	1.05	-
FF-51.110.0001.11	1" IPS	4.84	2.56	1.85	0.12	1.32	-
FF-51.110.0125.11	1¼" IPS	5.71	2.99	2.05	0.15	1.66	-
FF-51.110.0150.11	1½" IPS	6.14	3.23	2.24	0.17	1.90	-
FF-51.110.0002.11	2" IPS	6.38	3.23	2.52	0.22	2.38	200
FF-51.110.0003.11	3" IPS	9.09	4.57	3.39	0.32	3.50	200
FF-51.110.0004.11	4" IPS	10.24	5.04	3.58	0.41	4.50	200
FF-51.110.0006.11	6" IPS	13.82	6.61	4.53	0.60	6.63	200
FF-51.110.0008.11	8" IPS	16.97	8.15	5.63	0.79	8.63	200
FF-51.110.0010.11	10" IPS	20.28	9.61	6.18	0.98	10.75	200
FF-51.110.0012.11	12" IPS	21.93	10.04	6.50	1.16	12.75	200

SDR 17 (STANDARD	DIMENSIO	N RATIO)	125 PSI (WORKIN	G PRESSI	JRE AS 7	3.4° F)
Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	L3 (inch)	s (inch) Min Wall	OD (inch)	FM Pressure Rating (psi.)
FF-51.110.0002.17	2" IPS	6.38	3.23	2.52	0.14	2.38	-
FF-51.110.0003.17	3" IPS	9.09	4.57	3.39	0.21	3.50	-
FF-51.110.0004.17	4" IPS	10.24	5.04	3.58	0.26	4.50	-
FF-51.110.0006.17	6" IPS	13.82	6.61	4.53	0.39	6.63	-
FF-51.110.0008.17	8" IPS	16.97	8.15	5.63	0.51	8.63	-
FF-51.110.0010.17	10" IPS	20.28	9.61	6.18	0.63	10.75	-
FF-51.110.0012.17	12" IPS	21.93	10.04	6.50	0.75	12.75	-

- 1. All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 3. Fittings are marked to meet the applicable standards.
- 4. Only fittings with a FM pressure rating are FM approved.



Butt Fusion IPS 90° Elbows



- Molded from black PE 100 / 4710 resin & NSF-61 certified
- Complies with the following product standards: ASTM D2513, D3261, D3350, and AWWA C906
- Made in the USA
- FM Approval Class 1613




SDR 7 (STANDARD DIMENSION RATIO) 335 PSI (WORKING PRESSURE AS 73.4° F)											
Product Code	Nominal Diameter (inch)	L1 (inch)	s (inch) Min Wall	OD (inch)	FM Pressure Rating (psi.)						
FF-51.113.0002.07	2" IPS	5.75	4.25	2.45	0.339	2.38	335				
FF-51.113.0003.07	3" IPS	7.53	5.65	3.05	0.500	3.50	335				
FF-51.113.0004.07	4" IPS	8.68	6.13	3.25	0.643	4.50	335				
FF-51.113.0006.07	6" IPS	12.80	9.28	4.05	0.946	6.63	335				
FF-51.113.0008.07	8" IPS	15.75	10.71	4.80	1.232	8.63	-				
FF-51.113.0010.07	10" IPS	18.82	12.64	5.55	1.536	10.75	-				
FF-51.113.0012.07	12" IPS	20.83	14.29	5.98	1.821	12.75	-				

9	SDR 9 (STANDARD I	DIMENSION	RATIO) 2	50 PSI (W	ORKING	PRESSUF	RE AS 73.	4° F)
	Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	L3 (inch)	s (inch) Min Wall	OD (inch)	FM Pressure Rating (psi.)
	FF-51.113.0002.09	2" IPS	5.75	4.25	2.45	0.264	2.38	250
	FF-51.113.0003.09	3" IPS	7.53	5.65	3.05	0.389	3.50	250
	FF-51.113.0004.09	4" IPS	8.68	6.13	3.25	0.500	4.50	250
	FF-51.113.0006.09	6" IPS	12.8	9.28	4.05	0.736	6.63	250
	FF-51.113.0008.09	8" IPS	15.75	10.71	4.80	0.958	8.63	-
	FF-51.113.0010.09	10" IPS	18.82	12.64	5.55	1.194	10.75	-
	FF-51.113.0012.09	12" IPS	20.83	14.29	5.98	1.417	12.75	-

- 1. All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 3. Fittings are marked to meet the applicable standards.
- 4. Only fittings with a FM pressure rating are FM approved.



Butt Fusion IPS 90° Elbows



- Molded from black PE 100 / 4710 resin & NSF-61 certified
- Complies with the following product standards: ASTM D2513, D3261, D3350, and AWWA C906
- Made in the USA
- FM Approval Class 1613




SDR 11 (STANDARD	DIMENSION	RATIO)	200 PSI (\	WORKING	G PRESSU	JRE AS 73	8.4° F)
Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	L3 (inch)	s (inch) Min Wall	OD (inch)	FM Pressure Rating (psi.)
FF-51.113.0075.11	3/4" IPS	3.35	2.83	1.77	0.10	1.05	-
FF-51.113.0001.11	1" IPS	3.66	3.03	1.85	0.12	1.32	-
FF-51.113.0125.11	11/4" IPS	4.33	3.46	2.05	0.15	1.66	-
FF-51.113.0150.11	11/2" IPS	4.88	3.94	2.24	0.17	1.90	-
FF-51.113.0002.11	2" IPS	5.71	4.41	2.44	0.22	2.38	200
FF-51.113.0003.11	3" IPS	7.48	5.67	3.23	0.32	3.50	200
FF-51.113.0004.11	4" IPS	8.9	6.54	3.66	0.41	4.50	200
FF-51.113.0006.11	6" IPS	12.13	8.74	4.49	0.60	6.63	200
FF-51.113.0008.11	8" IPS	15.75	11.42	5.63	0.79	8.63	200
FF-51.113.0010.11	10" IPS	18.82	13.35	6.14	0.98	10.75	200
FF-51.113.0012.11	12" IPS	20.83	14.17	6.30	1.16	12.75	200

SDR 17 (STANDARD	DIMENSION	I RATIO)	125 PSI (\	NORKIN	G PRESSU	IRE AS 73	3.4° F)
Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	L3 (inch)	s (inch) Min Wall	OD (inch)	FM Pressure Rating (psi.)
FF-51.113.0002.17	2" IPS	5.71	4.41	2.44	0.14	2.38	-
FF-51.113.0003.17	3" IPS	7.48	5.67	3.23	0.21	3.50	-
FF-51.113.0004.17	4" IPS	8.90	6.54	3.66	0.26	4.50	-
FF-51.113.0006.17	6" IPS	12.13	8.74	4.49	0.39	6.63	-
FF-51.113.0008.17	8" IPS	15.75	11.42	5.63	0.51	8.63	-
FF-51.113.0010.17	10" IPS	18.82	13.35	6.14	0.63	10.75	-
FF-51.113.0012.17	12" IPS	20.83	14.17	6.30	0.75	12.75	-

- 1. All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 3. Fittings are marked to meet the applicable standards.
- 4. Only fittings with a FM pressure rating are FM approved.



Butt Fusion IPS Reducers



- Molded from black PE 100 / 4710 resin & NSF-61 certified
- Complies with the following product standards: ASTM D2513, D3261, D3350, and AWWA C906
- Made in the USA
- FM Approval Class 1613




Nominal (inch) L1 L2 L3 OD (inch) OD 1 Pressure Product Code Diameter (inch) (inch) (inch) Rating (inch) Min Min (inch) (inch) (psi.) Wall Wall FF-51.317.0201.07 1.525 0.340 2.375 0.190 2 x 1" IPS 6.15 3.00 1.315 FF-51.317.0302.07 3 x 2" IPS 7.91 3.46 3.310 0.500 3.500 0.339 2.380 335 FF-51.317.0402.07 4x2" IPS 8.82 3.58 3.310 0.643 4.500 0.339 2.380 335 FF-51.317.0403.07 7.99 3.460 0.643 4x3" IPS 3.58 4.500 0.500 3.500 335 FF-51.317.0604.07 6 x 4" IPS 9.88 4.21 3.580 0.946 6.630 0.643 4.500 335 8.630 0.946 FF-51.317.0806.07 8x6" IPS 11.18 5.08 4.210 1.232 6.630 335 FF-51.317.1008.07 12.83 5.87 5.080 1.536 10.75 | 1.232 8.630 10 x 8" IPS

SDR 9 (STANDARD	DIMENSI	ON RAT	1O) 250	PSI (W	ORKIN	G PRES	SURE A	\S 73.4°	F)
Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	L3 (inch)	s (inch) Min Wall	OD (inch)	s1 (inch) Min Wall	OD 1 (inch)	FM Pressure Rating (psi.)
FF-51.317.0201.09	2 x 1" IPS	6.15	3.00	1.525	0.26	2.375	0.150	1.315	-
FF-51.317.0302.09	3 x 2" IPS	7.91	3.46	3.310	0.389	3.500	0.264	2.380	250
FF-51.317.0402.09	4x2" IPS	8.82	3.58	3.310	0.500	4.500	0.264	2.380	250
FF-51.317.0403.09	4 x 3" IPS	7.99	3.58	3.460	0.500	4.500	0.389	3.500	250
FF-51.317.0604.09	6x4" IPS	9.88	4.21	3.580	0.736	6.630	0.500	4.500	250
FF-51.317.0806.09	8x6" IPS	11.18	5.08	4.210	0.958	8.630	0.736	6.630	250
FF-51.317.1008.09	10 x 8" IPS	12.83	5.87	5.080	1.194	10.75	0.958	8.630	-

- 1. All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 3. Fittings are marked to meet the applicable standards.
- 4. Only fittings with a FM pressure rating are FM approved.



Butt Fusion IPS Reducers



- Molded from black PE 100 / 4710 resin & NSF-61 certified
- Complies with the following product standards: ASTM D2513, D3261, D3350, and AWWA C906
- Made in the USA
- FM Approval Class 1613



SDR 11 (STANDARD DIMENSION RATIO) 200 PSI (WORKING PRESSURE AT 73.4° F)										
Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	L3 (inch)	s (inch) Min Wall	OD (inch)	s1 (inch) Min Wall	OD 1 (inch)	FM Pressure Rating (psi.)	
FF-51.118.2150.11	2 x 1½" IPS	6.22	2.87	2.48	0.22	2.38	0.17	1.90	-	
FF-51.118.0302.11	3 x 2" IPS	7.72	3.74	2.83	0.318	3.50	0.216	2.38	200	
FF-51.118.0402.11	4 x 2" IPS	8.82	4.09	2.76	0.409	4.50	0.216	2.38	200	
FF-51.118.0403.11	4 x 3" IPS	8.78	4.13	3.70	0.409	4.50	0.318	3.50	200	
FF-51.118.0603.11	6 x 3" IPS	11.18	5.06	3.78	0.603	6.63	0.318	3.50	200	
FF-51.118.0604.11	6 x 4" IPS	10.94	4.84	3.90	0.603	6.63	0.409	4.50	200	
FF-51.118.0806.11	8 x 6" IPS	12.36	5.51	4.96	0.785	8.63	0.603	6.63	200	
FF-51.118.1008.11	10 x 8" IPS	14.21	6.22	5.94	0.978	10.75	0.785	8.63	200	
FF-51.118.1208.11	12 x 8" IPS	16.34	6.54	5.91	1.16	12.75	0.785	8.63	200	
FF-51.118.1210.11	12 x 10" IPS	16.14	6.61	6.46	1.16	12.75	0.978	10.75	200	


SDR 17 (STANDAR	D DIMENSIC	ON RAT	IO) 125	PSI (W	ORKIN	IG PRES	SSURE .	AT 73.4	.° F)
Product Code	Nominal Diameter (inch)	L1 (inch)	L2 (inch)	L3 (inch)	s (inch) Min Wall	OD (inch)	s1 (inch) Min Wall	OD 1 (inch)	FM Pressure Rating (psi.)
FF-51.118.0302.17	3 x 2" IPS	7.72	3.74	2.83	0.21	3.50	0.14	2.38	-
FF-51.118.0402.17	4 x 2" IPS	8.82	4.09	2.76	0.26	4.50	0.14	2.38	-
FF-51.118.0403.17	4 x 3" IPS	8.78	4.13	3.70	0.26	4.50	0.21	3.50	-
FF-51.118.0603.17	6 x 3" IPS	11.18	5.06	3.78	0.39	6.63	0.21	3.50	-
FF-51.118.0604.17	6 x 4" IPS	10.94	4.84	3.90	0.39	6.63	0.26	4.50	-
FF-51.118.0806.17	8 x 6" IPS	12.36	5.51	4.96	0.51	8.63	0.39	6.63	-
FF-51.118.1008.17	10 x 8" IPS	14.21	6.22	5.94	0.75	10.75	0.51	8.63	-
FF-51.118.1208.17	12 x 8" IPS	16.34	6.54	5.91	0.75	12.75	0.51	8.63	-
FF-51.118.1210.17	12 x 10" IPS	16.14	6.61	6.46	0.75	12.75	0.63	10.75	-

- 1. All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 3. Fittings are marked to meet the applicable standards.
- 4. Only fittings with a FM pressure rating are FM approved.




Electrofusion IPS Couplings

MONOFILAR



- Molded from black PE 100-RC / 4710 & NSF-61 approved resin
- Complies with the following product standards: ASTM D2513, D3261, D3350, F1055, and AWWA C906
- FM Approval Class 1613



All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards Drawing shown is an approximation only. 2"-12" E-Couplings are FM Approved. Pressures listed are sustainable maximum operating pressure at 73°F.

Approved processing temperatures between -10°C (14°F) and 45°C (113°F) for couplings 28" or less. Approved processing temperatures between 0°C (32°F) and 45°C (113°F) for couplings 30" to 48".


- * The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- ** Passed FM approval testing at a pressure of 250 psi, couplings have a max operating pressure rating of 200 psi.





Electrofusion IPS Couplings

BIFILAR



- Molded from black PE 100-RC / 4710 & NSF-61 approved resin
- Complies with the following product standards: ASTM D2513, D3261, D3350, F1055, and AWWA C906

SDR 11 (STANDARD DIMENSION RATIO) WATER 200 PSI, GAS* (WORKING PRESSURE AT 73.4° F)											
	Nominal										
Product Code	Diameter	D1	L	d	t	Weight	FM Pressure Rating				
Floduct Code	da OD	(ID)	(inch)	(inch)	(inch)	(lbs.)	(psi.)				
	(inch)										
RI-51.373.0018.11	18" IPS	18.016	13.780	22.008	6.890	57.8	-				
RI-51.373.0020.11	20" IPS	20.000	14.567	24.449	7.283	78.3	-				
RI-51.373.0022.11	22" IPS	21.980	14.961	26.969	7.480	95.7	-				
RI-51.373.0024.11	24" IPS	23.976	16.142	29.331	8.071	123.5	-				
RI-51.373.0026.11	26" IPS	25.984	16.142	31.811	8.071	148.8	-				
RI-51.373.0028.11	28" IPS	27.972	16.142	34.252	8.071	179.7	-				

SDR 33-17 (STANDARD	DIMENSIO	n ratio)	WATER 12	5 PSI, GAS	* (WORK	ING PRESS	SURE AT 73.4° F)
Product Code	Nominal Diameter da OD (inch)	D1 (ID)	L (inch)	d (inch)	t (inch)	Weight (lbs.)	FM Pressure Rating (psi.)
RI-51.373.0018.17	18" IPS	18.016	13.780	20.433	6.890	34.2	-
RI-51.373.0020.17	20" IPS	20.000	14.567	22.677	7.283	45.2	-
RI-51.373.0022.17	22" IPS	21.980	14.961	25.197	7.480	60.0	-
RI-51.373.0024.17	24" IPS	23.976	16.142	27.205	8.071	70.6	-
RI-51.373.0026.17	26" IPS	25.984	16.142	29.488	8.071	84.9	-
RI-51.373.0028.17	28" IPS	27.972	16.142	31.772	8.071	104.7	-
RI-51.373.0030.17	30" IPS	29.980	19.685	34.016	9.843	145.3	-
RI-51.373.0032.17	32" IPS	31.969	19.685	36.299	9.843	166.3	-
RI-51.373.0034.17	34" IPS	33.937	20.079	38.504	10.039	183.0	-
RI-51.373.0036.17	36" IPS	35.945	20.079	40.906	10.039	209.5	-
RI-51.373.0042.17	42" IPS	41.929	20.866	47.638	10.433	304.7	-
RI-51.373.0048.17	48" IPS	47.913	21.260	54.409	10.630	403.5	-

SDR 26 (STANDARD DIMENSION RATIO) WATER 80 PSI, GAS* (WORKING PRESSURE AT 73.4° F)											
Product Code	Nominal Diameter da OD (inch)	D1 (ID)	L (inch)	d (inch)	t (inch)	Weight (lbs.)	FM Pressure Rating (psi.)				
RI-51.373.0054.17	54" IPS	58.465	21.654	X	10.827	295.4	-				
RI-51.373.0063.17	63" IPS	68.228	22.441	Х	11.220	384.6	-				


All dimensions shown are nominal and subject to manufacturing tolerance. OD and minimum wall are determined in accordance with ASTM standards Drawing shown is an approximation only. 2"-12" E-Couplings are FM Approved. Pressures listed are sustainable maximum operating pressure at 73°F. 54" and the 63" are made to order.

Approved processing temperatures between -10°C (14°F) and 45°C (113°F) for couplings 28" or less. Approved processing temperatures between 0°C (32°F) and 45°C (113°F) for couplings 30" to 48".

* The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.



Electofusion IPS Branch Saddles





- Permanent under saddle.
- Fixing tab for easy installation.

JUN 11 - JIANUA	AIND DIIVII	-1451014	INAIIC	/ VVA	I EIX - IV	10F 200		14 10)	, uns	
Code	Nominal Diameter [INCH]	da (OD) [INCH]	da1 (OD1) [inch]	h [INCH]	d3 [INCH]	b [INCH]	s [INCH]	alph [°]	L [INCH]	Weight [LBS]
RF-51.288.0301.11	3" x 1"	3	1	5.07	0.69	4.86	0.12	0	2.36	0.40
RF-51.288.0325.11	3" x 1¼"	3	1.25	5.07	0.94	4.86	0.12	0	2.36	0.40
RF-51.288.0302.11	3" x 2"	3	2	5.52	1.53	4.86	0.12	0	2.36	0.40
RF-51.288.0401.11	4'' x 1''	4	1	5.61	0.69	5.65	0.12	0	2.36	0.46
RF-51.288.0425.11	4" x 11/4"	4	1.25	5.61	0.94	5.65	0.12	0	2.36	0.46
RF-51.288.0402.11	4" x 2"	4	2	6.20	1.53	5.65	0.12	0	2.36	0.46
RF-51.288.0601.11	6" x 1"	6	1	6.93	0.69	7.62	0.12	0	2.36	0.98
RF-51.288.0625.11	6" x 11/4"	6	1.25	6.93	0.94	7.62	0.12	0	2.36	0.98
RF-51.288.0602.11	6" x 2"	6	2	7.56	1.53	7.62	0.12	0	2.36	0.98
RF-51.288.0603.11	6" x 3"	6	3	8.27	2.53	7.62	0.12	0	2.36	0.98
RF-51.288.0604.11	6" x 4"	6	4	8.27	3.53	7.62	0.12	0	2.36	0.98
RF-51.288.0801.11	8" x 1"	8	1	7.74	0.69	9.63	0.12	0	2.36	1.02
RF-51.288.0825.11	8" x 11/4"	8	1.25	7.74	0.94	9.63	0.12	0	2.36	1.02
RF-51.288.0802.11	8" x 2"	8	2	8.37	1.53	9.63	0.12	0	2.36	1.02
RF-51.288.0803.11	8" x 3"	8	3	9.08	2.53	9.63	0.12	0	2.36	1.02
RF-51.288.0804.11	8" x 4"	8	4	9.08	3.53	9.63	0.12	0	2.36	1.02
RF-51.288.1002.11	10" x 2"	10	2	9.99	1.31	10.47	0.23	40	3.03	1.21
RF-51.288.1003.11	10" x 3"	10	3	10.78	2.31	10.47	0.23	40	3.03	1.21

Notes

RF-51.288.1004.11 10" x 4"

RF-51.288.1202.11 12" x 2"

RF-51.288.1203.11 12" x 3"

RF-51.288.1204.11 12" x 4"

1. All dimensions shown are nominal and subject to manufacturing tolerance OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.

10.78

10.80

11.55

11.55

3.31

1.31

2.31

3.31

10.47

11.57

11.57

11.57

0.23

0.23

0.23

0.23

40

40

40

3.03

3.03

3.03

3.03

1.21

1.36

1.36

1.36

2. Fittings are marked to meet the applicable standards.

10

12

12

12

4


2

3

* The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.



Electrofusion IPS Tapping Tees



- Molded from: PE 100 / PE 4710
- Color: Black
- Specification: ASTM D2513/F1055, AWWA C906, NSF 61
- Sealed brass punch assembly.
- Fixing tab for easy installation.
- Permanent under saddle.

SDR 11 (STANDARD DIMENSION RATIO) WATER 200 PSI, GAS* (WORKING PRESSURE AT 73.4° F)

Water -	MOP	200	PSI,	Gas*
---------	-----	-----	------	------

										1					
Code	da (OD)	da1 (OD1)	s	z	L1	L2	L3	L4	d3	h	b	sw	t	t1	Weight
	in	in	in	in	in	in	in	in	in	in	in	in	in	in	lbs
RI-51.278.0250.12	2	0.5	0.10	2.24	4.72	3.39	4.02	4.69	1.02	6.67	3.90	0.39	2.34	5.43	1.18
RI-51.278.0201.12	2	1.0	0.12	2.24	5.12	3.62	4.02	4.69	1.02	6.67	3.90	0.39	2.34	5.43	1.21
RI-51.278.0275.11	2	0.75	0.09	2.24	5.12	3.62	4.02	4.69	1.02	6.67	3.90	0.39	2.34	5.43	1.20
RI-51.278.0201.11	2	1.0	0.12	2.24	5.12	3.62	4.02	4.69	1.02	6.67	3.90	0.39	2.34	5.43	1.21
RI-51.278.0350.12	3	0.5	0.10	2.64	4.92	3.39	4.06	5.12	1.26	7.74	5.04	0.67	2.87	5.98	1.62
RI-51.278.0301.12	3	1.0	0.12	2.64	5.12	3.62	4.06	5.12	1.26	7.74	5.04	0.67	2.87	5.98	1.64
RI-51.278.0375.11	3	0.75	0.09	2.64	5.12	3.62	4.06	5.12	1.26	7.74	5.04	0.67	2.87	5.98	1.63
RI-51.278.0301.11	3	1.0	0.12	2.64	5.12	3.62	4.06	5.12	1.26	7.74	5.04	0.67	2.87	5.98	1.65
RI-51.278.0450.12	4	0.5	0.10	2.99	4.92	3.39	4.06	5.12	1.26	8.13	5.87	0.67	3.27	5.98	1.71
RI-51.278.0401.12	4	1.0	0.12	2.99	5.12	3.62	4.06	5.12	1.26	8.13	5.87	0.67	3.27	5.98	1.74
RI-51.278.0475.11	4	0.75	0.09	2.99	5.12	3.62	4.06	5.12	1.26	8.13	5.87	0.67	3.27	5.98	1.72
RI-51.278.0401.11	4	1.0	0.12	2.99	5.12	3.62	4.06	5.12	1.26	8.13	5.87	0.67	3.27	5.98	1.74
RI-51.278.0650.12	6	0.5	0.10	3.90	4.92	3.39	4.06	5.16	1.26	9.11	8.03	0.67	4.25	5.98	1.28
RI-51.278.0601.12	6	1.0	0.12	3.90	5.12	3.62	4.06	5.16	1.26	9.11	8.03	0.67	4.25	5.98	1.90
RI-51.278.0675.11	6	0.75	0.09	3.90	5.12	3.62	4.06	5.16	1.26	9.11	8.03	0.67	4.25	5.98	1.89
RI-51.278.0601.11	6	1.0	0.12	3.90	5.12	3.62	4.06	5.16	1.26	9.11	8.03	0.67	4.25	5.98	1.90
	RI-51.278.0250.12 RI-51.278.0201.12 RI-51.278.0201.11 RI-51.278.0201.11 RI-51.278.0350.12 RI-51.278.0375.11 RI-51.278.0301.11 RI-51.278.0450.12 RI-51.278.0401.11 RI-51.278.0401.12 RI-51.278.0401.11 RI-51.278.0401.11	RI-51.278.0350.12 3 RI-51.278.0350.12 3 RI-51.278.0350.12 3 RI-51.278.0350.12 3 RI-51.278.0375.11 3 RI-51.278.0301.11 3 RI-51.278.0450.12 4 RI-51.278.0450.12 4 RI-51.278.0450.12 4 RI-51.278.0450.12 4 RI-51.278.0450.12 6 RI-51.278.0650.12 6 RI-51.278.0675.11 6	RI-51.278.0350.12 3 0.5 RI-51.278.0350.12 3 0.5 RI-51.278.0350.12 3 0.5 RI-51.278.0350.12 3 0.5 RI-51.278.0301.11 3 1.0 RI-51.278.0301.11 3 1.0 RI-51.278.0450.12 4 0.5 RI-51.278.0450.12 4 0.5 RI-51.278.0450.12 4 1.0 RI-51.278.0450.12 4 1.0 RI-51.278.0450.12 4 0.5 RI-51.278.0450.12 4 1.0 RI-51.278.0450.12 4 0.5 RI-51.278.0450.12 4 1.0 RI-51.278.0450.12 6 0.5 RI-51.278.04550.12 6 0.5 RI-51.278.06550.12 6 0.5 RI-51.278.06550.12 6 0.5	Code (ob) (ob) S in in in in in in in	Code (OD) (OD1) S Z In In In In In In In	Code (OD) COD1 S Z L1	Code (oD) (oD) S Z L1 L2	Code (OD) (OD) S Z L1 L2 L3	Code	Code (OD) (OD) S Z L1 L2 L3 L4 d3 In in in in in in in in	Code (OD) (OD) S Z L1 L2 L3 L4 d3 h	Cobe Cob Cob Cob S Z L1 L2 L3 L4 d3 h b	RI-51.278.0350.12 3 0.5 0.10 2.64 4.92 3.39 4.06 5.12 1.26 7.74 5.04 0.67 RI-51.278.0350.11 3 0.75 0.09 2.64 5.12 3.62 4.06 5.12 1.26 7.74 5.04 0.67 RI-51.278.0450.12 4 0.5 0.10 2.99 4.92 3.39 4.06 5.12 1.26 7.74 5.04 0.67 RI-51.278.0450.12 4 0.75 0.09 2.99 5.12 3.62 4.06 5.12 1.26 8.13 5.87 0.67 RI-51.278.0401.11 4 1.0 0.12 2.99 5.12 3.62 4.06 5.12 1.26 8.13 5.87 0.67 RI-51.278.0401.11 4 1.0 0.12 2.99 5.12 3.62 4.06 5.12 1.26 8.13 5.87 0.67 RI-51.278.0401.11 4 1.0 0.12 2.99 5.12 3.62 4.06 5.12 1.26 8.13 5.87 0.67 RI-51.278.0401.11 4 1.0 0.12 2.99 5.12 3.62 4.06 5.12 1.26 8.13 5.87 0.67 RI-51.278.0401.11 4 1.0 0.12 2.99 5.12 3.62 4.06 5.12 1.26 8.13 5.87 0.67 RI-51.278.0401.11 4 1.0 0.12 2.99 5.12 3.62 4.06 5.12 1.26 8.13 5.87 0.67 RI-51.278.0401.11 4 1.0 0.12 2.99 5.12 3.62 4.06 5.12 1.26 8.13 5.87 0.67 RI-51.278.0401.11 4 1.0 0.12 2.99 5.12 3.62 4.06 5.12 1.26 8.13 5.87 0.67 RI-51.278.0401.11 4 0.75 0.09 2.99 5.12 3.62 4.06 5.12 1.26 8.13 5.87 0.67 RI-51.278.0401.11 4 0.75 0.09 2.99 5.12 3.62 4.06 5.12 1.26 8.13 5.87 0.67 RI-51.278.0601.12 6 0.5 0.10 3.90 4.92 3.39 4.06 5.16 1.26 9.11 8.03 0.67 RI-51.278.0601.12 6 0.75 0.09 3.90 5.12 3.62 4.06 5.16 1.26 9.11 8.03 0.67 RI-51.278.0675.11 6 0.75 0.09 3.90 5.12 3.62 4.06 5.16 1.26 9.11 8.03 0.67 RI-51.278.0675.11 6 0.75 0.09 3.90 5.12 3.62 4.06 5.16 1.26 9.11 8.03 0.67 RI-51.278.0675.11 6 0.75 0.09 3.90 5.12 3.62 4.06 5.16 1.26 9.11 8.03 0.67 RI-51.278.0675.11 6 0.75 0.09 3.90 5.12 3.62 4.06 5.16 1.26 9.11 8.03 0.67	Code Code	Code Code


- 1. All dimensions shown are nominal and subject to manufacturing tolerance OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. Fittings are marked to meet the applicable standards.
- * The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.



Ductile Iron Back-up Rings



- Material: ASTM A536, G65-45-12
- Description: Convoluted design with heat fused epoxy for use with HDPE flange adapters
- Meets Requirements: Class 150, Mates with ANSI B16.5 and AWWA C207



SDR	7 (STANDARD DIMENSI	ON RAT	1O) 335	PSI (W	ORKIN	IG PRES	SURE A	\S 73.4°	F)
IPS Pipe Dia.	Product Code	Outside Dia. (inch)	Inside Dia. (inch)	Flange Thick. (inch)	Bolt Hole No.	Bolt Hole Dia. (inch)	Bolt Hole Circle (inch)	Unit Weight (lbs.)	FM Pressure Rating (psi.)
3/4"	RO-BRINGS-DI-R7-00.75	3.88	1.12	0.50	4	0.63	2.75	1.10	-
1"	RO-BRINGS-DI-R7-01.00	4.25	1.39	0.56	4	0.63	3.13	1.60	-
1 1/4"	RO-BRINGS-DI-R7-01.25	4.63	1.73	0.63	4	0.63	3.50	1.90	-
1 ½"	RO-BRINGS-DI-R7-01.50	5.00	1.98	0.69	4	0.63	3.88	2.00	-
2"	RO-BRINGS-DI-R7-02.00	6.00	2.60	0.75	4	0.75	4.75	2.80	-
3"	RO-BRINGS-DI-R7-03.00	7.50	3.75	0.85	4	0.75	6.00	4.00	-
4"	RO-BRINGS-DI-R7-04.00	9.00	4.75	0.92	8	0.75	7.50	5.60	-
6"	RO-BRINGS-DI-R7-06.00	11.00	6.88	1.00	8	0.88	9.50	8.00	-
8"	RO-BRINGS-DI-R7-08.00	13.50	8.88	1.12	8	0.88	11.75	12.5	-
10"	RO-BRINGS-DI-R7-10.00	16.00	11.00	1.22	12	1.00	14.25	16.8	-
12"	RO-BRINGS-DI-R7-12.00	19.00	13.15	1.48	12	1.00	17.00	26.8	-

- All dimensions shown are nominal and subject to manufacturing tolerance OD and minimum wall are determined in accordance with ASTM and ANSI standards. Drawing shown is an approximation only.
- 2. Back-up Rings are marked to meet the applicable standards.
- 3. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 4. Only fittings with a FM pressure rating are FM approved.




Ductile Iron Back-up Rings



- Material: ASTM A536, G65-45-12
- Description: Convoluted design with heat fused epoxy for use with HDPE flange adapters
- Meets Requirements: Class 150, Mates with ANSI B16.5 and AWWA C207
- FM Approval Class 1613






SDR	11 (STANDARD DIMENSIO	ON RAT	IO) 200	PSI (W	ORKII	IG PRI	SSURE	AT 73.4	1° F)
IPS Pipe Dia.	Product Code	Outside Dia. (inch)	Inside Dia. (inch)	Flange Thick. (inch)	Bolt Hole No.	Bolt Hole Dia. (inch)	Bolt Hole Circle (inch)	Unit Weight (lbs.)	FM Pressure Rating (psi.)
2"	RO-BRINGS-DI-R11-02.00	6.00	2.60	0.52	4	0.75	4.75	2.80	200
3"	RO-BRINGS-DI-R11-03.00	7.50	3.75	0.55	4	0.75	6.00	4.00	200
4"	RO-BRINGS-DI-R11-04.00	9.00	4.75	0.60	8	0.75	7.50	5.60	200
6"	RO-BRINGS-DI-R11-06.00	11.00	6.88	0.67	8	0.88	9.50	8.00	200
8"	RO-BRINGS-DI-R11-08.00	13.50	8.88	0.90	8	0.88	11.75	12.5	200
10"	RO-BRINGS-DI-R11-10.00	16.00	11.00	1.05	12	1.00	14.25	16.8	200
12"	RO-BRINGS-DI-R11-12.00	19.00	13.15	1.35	12	1.00	17.00	26.8	200
14"	RO-BRINGS-DI-R11-14.00	21.00	14.40	1.45	12	1.13	18.75	36.0	-
16"	RO-BRINGS-DI-R11-16.00	23.50	16.40	1.72	16	1.13	21.25	44.0	-
18"	RO-BRINGS-DI-R11-18.00	25.00	18.40	1.75	16	1.25	22.75	49.5	-
20"	RO-BRINGS-DI-R11-20.00	27.50	20.50	1.90	20	1.25	25.00	61.0	-
22"	RO-BRINGS-DI-R11-22.00	29.50	22.50	2.00	20	1.38	27.25	73.0	-
24"	RO-BRINGS-DI-R11-24.00	32.00	24.50	2.23	20	1.38	29.50	89.0	-
28"	RO-BRINGS-DI-R11-28.00	36.50	28.60	2.48	28	1.38	34.00	124.0	-
30"	RO-BRINGS-DI-R11-30.00	38.75	30.60	2.68	28	1.38	36.00	148.0	-
32"	RO-BRINGS-DI-R11-32.00	41.75	32.60	2.74	28	1.63	38.50	178.0	-
36"	RO-BRINGS-DI-R11-36.00	46.00	36.60	3.15	32	1.63	42.75	238.0	-
42"	RO-BRINGS-DI-R11-42.00	53.00	42.60	3.55	36	1.63	49.50	345.0	-
48"	RO-BRINGS-DI-R11-48.00	59.50	48.60	3.95	44	1.63	56.00	458.0	-

- 1. All dimensions shown are nominal and subject to manufacturing tolerance OD and minimum wall are determined in accordance with ASTM standards. Drawing shown is an approximation only.
- 2. Back-up Rings are marked to meet the applicable standards.
- 3. Only fittings with a FM pressure rating are FM approved.
- 4. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.



ANSI PP-FRP Steel Insert Back-up Rings



- For use in highly corrosive environments
- Longer service life than DI backing rings
- Connecting dimensions: ANSI/ASME B16.5, class
 150


SDR 11 (STANDARD DIMENSION RATIO) 200 PSI, GAS* (WORKING PRESSURE AT 73.4° F)										
Product Code	Nominal Diameter	ВН	t	Diameter (inch)						
Troduct Code	(inch)	(inch)	(inch)	OD	BD	ID				
RO-11.013.0020.11	1/2"	0.63	0.47	3.74	2.38	1.12				
RO-11.013.0025.11	3/4"	0.63	0.47	4.02	2.75	1.36				
RO-11.013.0032.11	1"	0.63	0.63	4.49	3.12	1.68				
RO-11.013.0040.11	1¼"	0.63	0.63	5.12	3.50	2.03				
RO-11.013.0050.11	1½"	0.63	0.71	5.24	3.88	2.46				
RO-11.013.0063.11	2"	0.79	0.71	6.38	4.75	3.12				
RO-11.013.0075.11	21/2"	0.79	0.71	7.24	5.50	3.67				
RO-11.013.0090.11	3"	0.79	0.71	7.64	6.00	4.41				
RO-11.013.0110.11	4"	0.79	0.71	9.02	7.50	5.27				
RO-11.013.0160.11	6"	0.87	0.94	11.14	9.50	7.06				
RO-11.013.0200.11	8"	0.87	0.94	13.58	11.75	9.33				
RO-11.013.0250.11	10"	0.98	1.06	16.22	14.25	11.36				
RO-11.013.0315.11	12"	0.98	1.29	19.17	17.00	13.32				

- 1. All dimensions shown are nominal and subject to manufacturing tolerance. OD and bolt hole size and location are determined in accordance with ANSI standards. Drawing shown is an approximation only.
- 2. The maximum pressure for gas applications should be calculated based on the applicable local and federal regulations.
- 3. Back-up Rings are marked to meet the applicable standards.
- 4. All Back-up Rings produced at AGRU Austria.









AGRU America 500 Garrison Road Georgetown, SC 29440 USA 843-546-0600 info@agruamerica.com Revision Date: February 16, 2024

